

Pallet Security



CONTACT INFORMATION

Head Office & Administration

5757 Thimens Boulevard
St. Laurent, Québec
H4R 2H6

Tel: (514) 335-0333

Fax: (514) 335-9341

Tel: (800) 361-9410

Fax: (800) 563-1363



<https://ecom.dorfin.com>

Would you like to place your orders online?

Our ecommerce website enables you to view all Packaging & Retail products available at Dorfin, and place your orders online 24 hours a day. It has been designed and programmed to be responsive to whichever device you use, so you can place your orders from your computer, your mobile phone or tablet. The site will resize itself to fit the size of the screen that you are using.

If you already have an account with Dorfin Inc, please visit our ecommerce site to sign-up for an online account, or contact your dedicated sales representative for more details.

Website / eCommerce

<http://www.dorfin.com>

<https://ecom.dorfin.com>

email

orders@dorfin.com



Custom Sourcing

Work with DORFIN.... Let us be your global sourcing partner!

You have mastered your industry, and know your products better than anyone. Let our sourcing experts concentrate on expanding your global network to maximize your profits.

We source products through established relationships with domestic and international suppliers. We continuously source globally for new relationships with factories around the world. Our team will meet with you to collaborate and analyse your project to create the best possible solution. In other words, we'll do what you require and surpass your expectations.

We understand that all customers are unique, and that their needs can even differ within each division of their organization. Dorfin offers the resources to create personal concepts for our clients based on their specifications, so our clients receive made-to-order solutions. Once sourced and customized, our art house will design the packaging for your private label or brand.

With over 60 years of experience we have developed an expertise in overseas sourcing that allows us to ease the purchasing and logistic process and assures quality control that will meet the most rigorous specifications.

- We work with retailers and source customized products for resale.
- We work with the food service industry to develop products for use in their food service facilities.
- We work with distributors in the packaging industry to source customized products for them to resell to their customers.
- We ensure our customers are offered turnkey solutions for their custom sourcing needs.



EDI

Dorfin offers its trading partners all of the benefits of eCommerce, including an information-rich web site with on-line ordering, product inquiry and account verification, EDI (electronic data interchange), and e-mail. We look forward to partnering with our customers in any way convenient to you, using the latest standards to enhance the efficiency of doing business. Please call our customer sales and service department for details or visit us on the web at www.dorfin.com.

TERMS AND CONDITIONS

Ordering :

To ensure accurate receipt of what you are ordering, please specify page number, product codes, stock numbers, and description including colour, size and thickness.

Pricing :

Pricing does not include all applicable taxes. Pallet charges are extra.

FOB's :

Our FOB policy for Montreal, Ottawa, Toronto, Quebec City and the Eastern Townships is subject to a minimum dollars amount and product mix. Orders under minimum are shipped collect or prepaid and charge.

Payment :

Visa and Master Card are gladly accepted. For customers who wish to have an open account status, please call us or e-mail us and we will be happy to fax or e-mail you a credit application form. Upon receipt of favourable information concerning the credit verification, your account will be opened. Our terms are net 30 days.

Shipping :

Please specify if we should ship complete, or in part, in the event of a back-ordered item(s). If you prefer that we cancel any back ordered items at time of shipment, please specify this at time of order.

Returned Merchandise Procedure:

The buyer must contact Dorfin's customer service department for a returned merchandise authorization and shipping instructions prior to returning any products. All returns must be shipped prepaid, in resalable condition, in original carton(s) where applicable and are subject to issuance of a credit or refund. Handling charge could be 20% or more depending upon the circumstances. No returns will be accepted after 30 days. Customized goods are not returnable unless deemed to be defective or not as ordered.

Pallet Wrappers

Pallet Security



- Programmable Key Pad Controls
- LCD Display Screen (providing function control viewing)
- Variable Film Carriage Speed Up/Down Control
- Separate Top/Bottom Wrap Selectors 1-9
- Separate Film Height Selector 1-9
- Positive home alignment and counter
- Heavy Duty 3/8" turntable plate
- Carriage chain fully guarded
- 32 table support wheels require no lubrication to the face or under the table (250 lbs dynamic each wheel)
- Weight Capacity: 5000 lbs



- Fully Enclosed & Guarded Motors
- 4000 lbs turn table capacity
- No Exposed Cables
- Heavy Duty Formed/Structural Steel
- 33% to 313% fixed stretch capability
- Electro-static powder coated paint finish
- LCD Operator Interface with Diagnostics
- Maintenance Free 42 Support Wheels
- 5 Year Warranty on Steel Fabrications



**OTHER MODELS AVAILABLE UPON REQUEST
ASK YOUR SALES REP OR CUSTOMER SERVICE AGENT**

www.dorfn.com

Code	Brand	Description	Type	Model
2508080	Fox	Pallet Wrapper	Semi-Auto	C1-Plus
2508085	Fox	Pallet Wrapper	Semi-Auto	C1-Dynamic
2508090	Fox	Pallet Wrapper	Semi-Auto	C1-Plus
2508092	Fox	Ramp		C1-Plus
2508200	Cousins	Pallet Wrapper	Semi-Auto	LP2100-SRT
2508210	Cousins	Pallet Wrapper - Switch	Automatic	LP-SW
2508220	Cousins	Pallet Wrapper - A-Arm	Automatic	LP-SWA
2508230	Cousins	Pallet Wrapper - Wall Mount		4100-T-WM

Pallet Wrap - Machine



* Other sizes available upon request

FOR ANY SPECIAL APPLICATIONS, PLEASE CALL US
FOR A COMPLIMENTARY AUDIT OF YOUR OPERATIONS

Code	Brand	Dimensions	Thickness	Gauge	Colour	Model	Pallet
2491020	ProMax80 Nano	500mm x 5000'	16 mic	63	Clear	PRM2006350	50
2491030	ProMax80 Nano	500mm x 5500'	14.5 mic	57	Clear	PRM2005755	50
2491041	PlatinumMax	500mm x 6000'	14 mic	55	Clear	PLM2005560	50
2491144	PlatinumMax	500mm x 7500'	11.1 mic	44	Clear	PLM2004475	50
2491160	PlatinumMax	500mm x 8000'	12.2 mic	48	Clear	PLM2004880	40
2492005	Berry / AEP	20" x 8000'	15.2 mic	60	Clear	ATT12060	40
2492010	Berry / AEP	20" x 6500'	17.8 mic	70	Clear	ATT12070	40
2492020	Berry / AEP	20" x 6000'	19 mic	75	Clear	ATT12075	40
2492025	Berry / AEP	20" x 5000'	20 mic	80	Clear	ATT12080L5	40
2493060	Stratos	20" x 10250'	11.4 mic	45	Clear	811114	40
2493070	Stratos	20" x 9000'	13 mic	51	Clear	811132	40
2493200	Revolution	20" x 7000'	11.4 mic	45	Clear	823816	50
2494005	Berry / AEP	20" x 7500'	15.2 mic	60	Clear	ADC6020V	40
2494025	Berry / AEP	20" x 5000'	20 mic	80	Clear	ADC8020V	40
2495075	Berry / AEP	20" x 7500'	15.2 mic	60	Clear	ADU15220	40
2499100	Berry / AEP	20" x 11000'	9.5 mic	37	Clear	XRL2037	40
2499120	Berry / AEP	20" x 9000'	12 mic	47	Clear	XRPLUS	40
2501170	Berry / AEP	20" x 9000'	12.7 mic	50	Clear	A12050SNS	40
2501190	Malpack	20" x 6000'	17.8 mic	70	Clear	MDM2007060	40
2501205	Malpack	20" x 5000'	19 mic	75	Clear	MDM2007550	40
2501221	Malpack	20" x 5000'	20.3 mic	80	Clear	MDM2008050	40
2501400	Malpack	20" x 5000'	20.3 mic	80	Black	2080SM5-BLACK	40

Pallet Wrap - Manual



Code	Brand	Dimensions	Thickness	Gauge	Type	Colour	Model	Case	Pallet
2502014	PlatinumMax	12" x 1476'	9.4 mic	37	Cast Film	Clear	PLH12037450	4	80
2502016	PlatinumMax	16" x 1476'	9.4 mic	37	Cast Film	Clear	PLH16037450	4	64
2502020	PlatinumMax	12" x 1476'	11 mic	43	Blown Film	Clear	PLH12043450	4	80
2502023	Hercules	325mm x 450m	12 mic	47	Cast Film	Clear		4	60
2502025	Berry / AEP	13.3" x 1312'	19 mic	75	Cast Film	Clear	HFP190338	4	60
2502030	Berry / AEP	13.3" x 1476'	16.5 mic	65	Cast Film	Clear	HFP165338	4	60
2502057	Berry / AEP	18" x 450m	12 mic	47	Cast Film	Clear	XH-45712-WB	4	48
2502065	Berry / AEP	12.8" x 1279'	22.5 mic	89	Blown Film	Clear	HW32522	4	60
2502086	Berry / AEP	16" x 1500'	13 mic	51	Blown Film	Clear	XB40613	4	48
2502110	Berry / AEP	15" x 1500'	20.3 mic	80	Blown Film	Black	HW1580BL	4	48
2502120	Berry / AEP	14.5" x 1450'	7.6 mic	30	Pre-Stretched	Clear	X7S	4	36
2502121	Berry / AEP	17.2" x 1450'	7.6 mic	30	Pre-Stretched	Clear	X7W	4	48
2502123	Berry / AEP	15" x 1500'	8.5 mic	34	Pre-Stretched	Clear	X2S1500	4	36
2502124	Berry / AEP	14.5" x 442m	8.13 mic	32	Pre-Stretched	Clear	XLXS	4	36
2502126	Berry / AEP	17.2" x 442m	8.13 mic	32	Pre-Stretched	Clear	XLXW	4	48
2502128	Berry / AEP	14.5" x 1450'	8.6 mic	34	Pre-Stretched	Clear	X8S	4	36
2502130	V-Maxx	12" x 1476'	7.6 mic	30	Pre-Stretched	Clear	VXH12L450BX	4	60
2502135	Malpack	16" x 1476'	7.6 mic	30	Pre-Stretched	Clear	VXH16L450BX	4	48

Pallet Security

f
Twitter
G+

in

Tel: (800) 361-9410

Pallet Wrap - Manual Dispensers



- Lightweight with aluminum base
- Comfortable rubber grip
- Flywheel instant size adjustment from 305 mm to 534 mm (12" to 21")
- Approximately 1.25 kg (2.75 lb)



- Steel Base
- Comfortable rubber grip
- Flywheel instant size adjustment from 279 mm to 457 mm (11" to 18")
- Approximately 1.81 kg (4 lb)

Pallet Security

Code	Brand	Type	Model	Pallet
2502001		Manual - General Purpose		20
2502002	Kleton	HD Steel - Manual	PE354	50
2502003	Nelson	Manual - Ergo	DPNWD-1	20
2503001	Nelson	Manual - Small		80

Bundling Hand Wrap



- An excellent way to replace twine or tape in a bundling and securing way
- Excellent puncture resistance and cling
- Ability to bundle a wide variety of products

Code	Description	Dimensions	Thickness	Gauge	Type	Model	Case
2503050	Bundling Hand Wrap Dispenser						1
2503200	Bundling Hand Wrap	3" x 1500'	20.3 mic	80	Cast Film	HW38048	16
2503220	Bundling Hand Wrap	3" x 1000'	12 mic	47	Cast Film	PMB030471000	18
2503230	Bundling Hand Wrap	5" x 1000'	12 mic	47	Cast Film	PMB050471000	12

Pallet Covers




- Pallet top sheets are excellent prevention in keeping out dust and averting vandalism
- Protection for outside storage
- Corrugated sheets are also available
- Custom sizes & colours available

Code	Description	Dimensions	Thickness	Weight	Colour	Units / RL	Pallet
3730020	High Density Sheeting	75"	1 mil	130 lbs	Clear		1404
3730030	High Density Sheeting	82"	1 mil	125 lbs	Clear		1524
3730035	High Density Sheeting	84"	1 mil	125 lbs	Clear		1752
3730085	High Density Sheeting	82"	1.5 mil	139 lbs	Clear		1512
3730090	High Density Sheeting	90"	1.5 mil	122 lbs	Clear		2448
3731010	Top Sheet	60" x 72"			Clear	250	25
3731020	Top Sheet	60" x 72"			Black	250	25

www.dorfn.com



Angleguard™



- Provides effective protective packaging of palletized merchandise. Made of multiple layers of paperboard and laminated with glue, Angleguard™ gives exceptional strength for load stability and packaging protection.
- Offers total perimeter impact protection at all critical load points
- Increased vertical strength allows for crush resistant multi-pallet stacking
- Improves safety and guards against load shifting while goods are in transit
- Optional printing available, up to 6 colours
- Improved load appearance for point-of-purchase displays
- Custom lengths and gauges are available upon request

Code	Description	Dimensions	Thickness	Pallet
2520015	Angleguard™	3" x 3" x 72"	0.160 pts	800
2520030	Angleguard™	2.5" x 2.5" x 20"	0.160 pts	3840
2520033	Angleguard™	2.5" x 2.5" x 36"	0.160 pts	1920
2520036	Angleguard™	2.5" x 2.5" x 44"	0.160 pts	1920
2520150	Angleguard™	3" x 3" x 36"	0.120 pts	2100
2520195	Angleguard™	3" x 3" x 36"	0.160 pts	1600


Pallet Sheets



Code	Description	Dimensions	Thickness	Case	Pallet
1035040	Board	15" x 25"	0.018 pts	200	20
1035080	Board - "A" Shape	16" x 33"	0.018 pts	180	20

Slip Sheets

- The slip sheet is used for pallet support in vehicle delivery and transportation of products.
- When slip sheets are supported by a pallet board, flat load carrying surface, or a cart or fork lift truck, the structural strength of the slip sheet supports the product load's weight.
- With the slip sheet supported by one of these transportation devices the unit load can easily be transported both internally within a facility and externally between two facility locations.



Code	Description	Dimensions	Thickness	Sheets
1036005	Slip Sheet	36" x 48"	ETC 23C	250
1036010	Slip Sheet	40" x 48"	ETC 23C	250
1036015	Slip Sheet	40" x 48"	0.024 pts	2000

Strapping Systems



Polypropylene Strapping Systems

- The most economical of all strapping material due to its light weight and versatility
- It is available in a wide variety of sizes and gauges and offers the greatest elongation of any strapping type, along with good initial recovery characteristics

* Other sizes are available upon request

Code	Description	Dimensions	Type	Colour	Size	Case
4195025	Wire Buckles		Light Duty		1/2"	2000
4195110	Open Seals		Plastic		1/2"	2000
4210260	Strapping	3/8" x 12900'	Polypropylene	White	8" x 8" Core	1
4210270	Strapping	3/8" x 12900'	Polypropylene	White	9" x 8" Core	1
4210290	Strapping	1/2" x 9900'	Polypropylene	White	8" x 8" Core	1
4210400	Strapping - 600 lbs	1/2"	Polypropylene	Black	16"x 6" Core	1
4241015	Tensioner Tool		Plastic		1/2" to 1"	1
4241050	Sealer Tool		Plastic		1/2"	1



Steel Strapping Systems

- Available in a wide range of sizes and gauges to accommodate your strapping requirements
- The edge-conditioned strapping ensures a safe, rounded edge that is problem-free during application
- Approximately 45 to 50 kg per coil
- Open seals are designed for standard duty strapping, applied after strapping is tensioned



Universal Strap Dispenser

- 3" face x 16" core or 6" face x 16" core
- 10" HD Wheels
- Automatic brake
- Weight: 45lbs.

Code	Description	Gauge	Type	Colour	Size	Case
4195100	Open Seals		Steel		1/2"	2000
4225100	Open Seals		Steel		5/8"	2000
4225120	Open Seals		Steel		3/4"	2000
4240300	Strapping - 12 Pk	0.02	Steel	Black	1/2"	50
4240310	Strapping - 12 Pk	0.02	Steel	Black	5/8"	50
4240320	Strapping - 12 Pk	0.02	Steel	Black	3/4"	50
4241010	Tensioner Tool		Steel		3/8" to 3/4"	1
4241070	Sealer Tool		Steel		1/2"	1
4241080	Sealer Tool		Steel		5/8"	1
4241090	Sealer Tool		Steel		3/4"	1
4241210	Universal Strap Dispenser					1

Strapping Systems



- Includes 1/2" Strapping x 3000'
- 300 Wire Buckles
- 1 Manual Tensioning Tool

EASY-TO-USE, CONVENIENT STRAPPING KITS WILL SECURE PALLETS AND BOXES ANYWHERE IN THE WAREHOUSE OR DURING TRANSPORT CONTACT YOUR SALES REP OR CUSTOMER SERVICE AGENT FOR MORE INFORMATION.

* Other Steel, Polyester and Polypropylene kits are available upon request

Code	Description	Dimensions	Type	Pallet
4210300	Strapping Kit	1/2" x 3000'	Light Duty	48

Pallet Trucks



Economic Pallet Truck

- Durable/versatile and easy to use, featuring an ergonomic design that reduces operator fatigue and downtime
- 200 degree handle pivot provides exceptional maneuverability in compact areas
- Polyurethane wheels and rollers
- Powder coat finish, robotic welds and grease fittings

Load Capacity: 5500 lbs
 Overall Fork Widths: 27"
 Raised Fork Height: 7.8"
 Weight: 160 lbs
 Load Rollers: 2.9" x 3.6"

Fork Length: 48"
 Lowered Fork Height: 2.9"
 Fork Width: 6.5"
 Steer Wheels: 7"

Code	Description	Dimensions	Capacity	Type	Model
3152010	Pallet Truck	27" x 48"	5500 lbs	Economic	ML971

Hand Trucks



- Handle Type: Dual Handle
- Frame Material: Steel
- Nose Plate Dimensions: 14"x 9"
- Wheel Material: Flat-Free
- Wheel Size: 10" x 3-1/2"
- Capacity: 600 lbs
- Overall Height: 46"
- Overall Width: 22"
- Weight: 20 lbs
- All Welded construction
- Constructed of 1" steel tube

Code	Description
3152020	Hand Truck - 22" x 46" - Plate Size: 14" x 9"

Dorfin's philosophy of "What's In It For the Customer", combined with competitively priced quality products and highly skilled sourcing of custom products and solutions, is supported by a team of people who "do what we say we are going to do". This, along with our hands-on management team & ownership, has earned us the trust and privilege of being the business partner of choice to our customers.

- Over 60 years of service to our customers.
- "Easy to do business with" attitude.
- We listen to & understand your challenges while providing solutions as unique as you are.



5757 Thimens Boul.
St. Laurent, Québec
H4R 2H6



www.dorfin.com



(514) 335-0333
(800) 361-9410



(514) 335-9341
(800) 563-1363



info@dorfin.com
orders@dorfin.com